de Signisian

TO PLACE AN ORDER CALL 757-593-8580 OR EMAIL: SALES@DDISIGNS.COM

SnapGraphic Grippers



Ingenious gripper snaps closed after graphic insertion with incredible strength, torque and care.

Patented!

U.S. Utility Patent # 6,637,716 U.S. Design Patent # D-424,120

Features:

Beautifully finished aluminum case
Designed to close easily once
graphic is inserted

No pockets or graphic end treatment required Ideal for large signage, reusable



SOLD AS A KIT
Top & bottom crossbar with
2 universal hanging clips.



Wide variety of hanging holders available.

Specify: CaseLengthColor

Case	
SN1	Oval
SN2	Rectangular
SN3	Oval, long
SN4	Rectangular, long

Length

1 - 18	4 - 28	7 - 60
2 - 22	5 - 36	8 - 72
3 - 24	6 - 48	9 - 96

Custom lengths available

Color*

-S	Satin Silver
B-	Matte Black

*Does not affect price, but must use to order.



AB Adhesive back models available. Same cost as models with hanging clips.

Accessories:



UC180
Steel Brackets
Set of 4. Allows casings
to be joined in series.



Wall Mount Kit for SN1 & SN2 Set of 4.




Joiner set of 2, for hanging bars in series.



UCSP
Aluminum Screw Posts,
set of 2. For thick graphics
(up to 3/8), use in place of gripper.

SnapGraphic Grippers

SN3









UCSWPG
Slatwall & pegboard adapter set of 2.
Mounts parallel to wall.



UCSWB
For slatwall
set of 2 for 36 max.
Mounts perpendicular to wall.

Accessories:



SN2

Grip Graphics up to 70 mil (.070) thick.

UCWB
Wall Mount Bracket - set of 2,
3-1/4 diameter. For 36 maximum.
Indicate -B Black or -S Silver



Stands featuring SnapGraphics Bars are available.

Slimline SnapGraphic

Ingenious gripper snaps closed after graphic insertion with incredible strength, torque and care.



Grip Graphics up to 50 mil (.050) thick.



Patented!

U.S. Utility Patent # 6,637,716 U.S. Design Patent # D-424,120

Beautifully finished aluminum case No graphic end treatment required



SOLD AS A KIT Top & bottom crossbar with 2 universal hanging clips.

Specify: CaseLengthColor

Case

SN5 Rectangular, 1-1/2 high

Length

1 - 18	4 - 28	7 - 60
2 - 22	5 - 36	8 - 72
3 - 24	6 - 48	9 - 96

Custom lengths available

Color*

00101		
-S	Satin Silver	
B-	Matte Black	

*Does not affect price, but must use to order.



Soft cam surface creates incredible retaining power.



Matte black endcaps.



UC180 Steel Brackets Set of 4. Allows casings to be joined in series.



Aluminum Casing 1-1/2 H . Encloses gripper.



Ingenious grippers snap closed SNAPGRAPHICS after graphic insertion with incredible strength, torque and care.

Closes easily once graphic is inserted

No pockets or graphic end treatment required

Ideal for large signage. Units are reusable

U.S. Utility Patent # 6,637,716 U.S. Design Patent # D-424,120

Grip graphics to .70 mil (.070) thick.

Snapgraphics	Snapgraphics Oval	Length
GC18	GCO18	18
GC22	GCO22	22
GC24	GCO24	24
GC28	GCO28	28
GC36	GCO36	36
GC48	GCO48	48
GC60	GCO60	60
GC72	GCO72	72
GC96	GCO96	96

Custom lengths available.

Handle portion.

Gripper lobe engages and compresses graphic.

Hinge rotates

gripper lobe.

Channel accepts a variety of hanging hardware.

Soft cam surface creates incredible retaining power.





- -C Clear blends beautifully
- -B Black not for direct sunlight
- **-W** White is white
- -S Silver simulates tech



GCO

- -C Clear See the full graphic includes clear end caps
- -S Silver Simulates aluminum casing, includes black end caps.









EasyGraphics Grippers



Hanging system features phenomenal performance with the convenience of instant graphic insertion.

Only good for rigid media

Beautiful aluminum case

No pockets or graphic end treatment required Simply insert graphic

Reusable, ideal for large signage



SOLD AS A KIT

Top & bottom crossbar with 2 universal hanging clips.

Specify: CaseLengthColor

EA1	Oval	1
EA2	Rectangular	2
EA3	Oval, long	3
EA4	Rectangular, long	

Length

1 - 18	4 - 28	7 - 60
2 - 22	5 - 36	8 - 72
3 - 24	6 - 48	9 - 96

Custom lengths available

-AB Adhesive back models available.

Same cost as models with hanging clips.

Color*

-S Satin Silver Matte Black

*Does not affect price, but must use to order.



Gripper extends below 1 high profiles





Longer 1-1/2 models totally enclose gripper



EA4

Accessories:



Wall Mount Kit for EA1 & EA2 Set of 4.



3/32 (.093) thick.

UC180 Steel Brackets Set of 4. Allows casings to be joined in series.



Case

Aluminum Screw Posts, set of 2. For thick graphics (up to 3/8), use in place of gripper.



UCSWB For slatwall set of 2 for 36 max. Mounts perpendicular to wall.



UCWB Wall Mount Bracket - set of 2. 3-1/4 diameter. For 36 maximum. Indicate -B Black or -S Silver



Wide variety of hanging holders available.



EasyGraphics Grippers

EASYGRAPHICS EA Series

A set of 2 universal hanging clips are included for the top bar.

Aluminum casing available in either oval or rectangular shape, 1 or 1-1/2 high. For **EA** Series



Flexible teeth grab graphic for secure fit.

Black endcaps finish all ends.

Easiest graphics gripper bar available.
Only good for rigid media.
Simply insert the graphic from the bottom up!



SOLD AS A KIT

Top & bottom crossbar with 2 universal hanging clips.

Common EA & GJ Accessories:

Easygraphics	Length
GJ18	18
GJ22	22
GJ24	24
GJ28	28
GJ36	36
GJ48	48
GJ60	60
GJ72	72

Custom lengths available

GJ

- -C Clear blends beautifully
- -B Black not for direct sunlight
- **-W** White is white
- -S Silver simulates tech

Grip Graphics up to 3/32 (.093) thick.



Channel accepts a variety of hanging hardware.

Flexible teeth grab graphic for secure fit.

Simply Insert graphic.

Simply insert

rigid media.



UCSWPG

Slatwall & pegboard adapter set of 2. Mounts parallel to wall.



UCLK

Joiner - set of 2, for hanging bars in series.



J180 Straight Split for joining units side by side.

Hanging Trapeze Bars



CUSTOM TRAPEZE BARS

Sizes, diameters, end caps can be customized.

SINGLE SECTION TRAPEZE BARS

Simply Hem Graphics top and bottom for aluminum tubes.

Features:

Strong and lightweight Extremely economical Very easy to use Clear satin anodized finish

Shipped one set per polybag

SOLD AS A TOP CROSSBAR AND BOTTOM CROSSBAR SET

Steel eyebolts are included for top crossbars.


Aluminum alloy tubes, etched and clear anodized finish.

SINGLE SECTION TRAPEZE BARS

Model	Banner Width	Diameter
BP01	18	7/8
BP02	22	7/8
BP03	24	7/8
BP04	28	7/8
BP05	36	7/8
BP06	48	7/8
BP07	60	7/8
BP08	72	7/8
BP011	84 *	7/8
BP013	96 *	7/8

*Has 3rd Eyebolt in center, banner notch required.

Standard Configuration



Optional Configuration

Specify: **SD** Side Eyebolts Same cost as standard configuration. Ordering Example: **BP06SD**



BABY TRAPEZE BAR WIRE SETS

3/16 diameter steel wire. Tops have loops at each end. Bottoms are straight cut.





Hanging Trapeze Bars

MULTIPLE SECTION TRAPEZE BARS

Simply Hem Graphics top and bottom for aluminum tubes.

Strong and lightweight

Extremely economical

Very easy to use

Clear satin anodized finish

SOLD AS A TOP CROSSBAR AND BOTTOM CROSSBAR SET

Steel eyebolts are included for top crossbars.

Standard Configuration

Top Bar is 2 longer than bottom bar, which sits flush inside bottom hem.

Optional Configuration

Specify: **SD** Side Eyebolts Same cost as standard configuration.

Models	Banner Width	Sections	Diameter	# Eyebolts
BP09	96	2	1-1/4	3
BP10	120	2	1-1/4	3
BP12	144	2	1-1/4	3
BP15	180	3	1-1/4	4
BP20	240	4	1-1/4	5

CUSTOM SIZES AVAILABLE.

Disclairmer:

We recommend getting samples and fully testing these products for your application. Purchaser determines suitability of all product usage and assumes all risk & liability. Neither the seller nor the manufacturer shall be held liable for any injury, loss or damage from use of such product.



Multiple section units connect with solid aluminum turned bushings.

TO PLACE AN ORDER CALL 757-593-8580 OR EMAIL: SALES@DDISIGNS.COM Wall Mount Trapeze Bar Bracket Sets

WALL MOUNT BRACKET SETS

Wall mount bracket sets work in conjunction with our optional configuration SD Trapeze Bars, pages 64 & 65, ie. those with top bars having side threads.

Simply remove eyebolts from Trapeze Bars and discard (or order without). Brackets attach to top bar only, bottom bar drops freely.



BPSB1 - For single section Trapeze Bars (7/8 diameter).

BPMB1 - For 2 section Trapeze Bars BP09SD, BP10SD & BP12SD.

BPMB2 - For 3 section Trapeze Bars BP15SD.

BPMB3 - For 4 section Trapeze Bars BP20SD









GRAPHIC CHANGEOUTS WITHOUT A LADDER

Market Market Produce Market Combining Trapeze Bars & SnapGraphic Grippers. Facilitate graphic changes to be extremely associate friendly. Extremely cost efficient, layouts are offered on a project basis.

Telescopic Changeout Pole

JBT1 Two sections - opens - 10 E xtension / 15 Ceiling.

JBT2 Three sections - opens - 15 E xtension / 20 Ceiling.

de Signision

TO PLACE AN ORDER CALL 757-593-8580 OR EMAIL: SALES@DDISIGNS.COM

Hanging Banner Kits

HANGING DOWEL KITS

Includes: (2) aluminum 1/2 diameter dowels, end caps and (1) diamond braided cord. Use banners with a hem top & bottom, put nail into wall and you're good to go.

WALL MOUNT SNAPBAR KITS

Includes: (2) Aluminum Snap Bars, matte anodized finish. Strong springs hold graphics in place. Black endcaps (4) wall screws & anchors.

WALL MOUNT BANNER KITS

Includes: (2) 3/4" diameter matte anodized poles and (2) 3-1/4 round plates with mounting holes.

Wall hardware not included.



Choose Model and Color*

PP24	24 wide dowels
PP36	36 wide dowels
PP48	48 wide dowels



Choose Model and Color*

MEB1	18	MEB5	36
MEB2	22	MEB6	48
MEB3	24	MEB7	60
MEB4	28	MEB8	72



^{*}Does not affect price, but must use to order.



Choose Model and Color*

WB1	12 Banner Width
WB2	18 Banner Width
WB3	22 Banner Width
WB4	24 Banner Width
WB5	30 Banner Width



Visual Merchandising Clamps





Solid aluminum alloy Anodized satin finishes

2 w x 3 h, rubber grips Clever binder spring Grip range up to 1/2 thick.



Specify: -S Satin Silver -B Matte Black







VCDP Steel grid clip, telescopic aluminum tube assembly 20-36



VCTP Clamp only, use on table top, or for small signs.



VCSW Clamp with integral slot wall bracket included.



VCCO 360° swivel, snaps onto poles, Diameter: 1 -1, 1-1/2 -3, 3/4 **-5**, 1-1/4 **-7**.



VCCD Clamp has integral eye hook for ceiling drops.



VCMT Clamp with male 1/4-20 thread, multifunctional.



VCWM Features hole for mounting parallel on a wall.

TO PLACE AN ORDER CALL 757-593-8580 OR EMAIL: SALES@DDISIGNS.COM Ceiling Anchors, Links & Cables

Ceilina Anchors

Swivel Clip

Clear plastic clip for ceiling grids, swivels 360° Sold 10/per. ANC01.



Metal Threaded Studs

Strong heavy duty scissors clip. Use to mount threaded accessories Sold 10/per. ANC14.



Links

Links Sold 100/per.

CLK1 C Link 1-1/12 long CLK2 C Link 3 long SHK1 S Link 1 long

SHK2 S Link 1-5/8 long



Rings

Set of 4, hold graphics with holes or grommets.

RG3 2 Diameter

RG5 3 Diameter



Grid Snap On Swivel Hook

1/4 hook slot rotates 360°. Sides simply snap on. White. Sold 10/per. ANCO2.



Steel Spring Stud

Clips onto grid, thread for accessories. Sold 10/per. ANC13.



Double C Hooks

HDC12, etc.

ABS1612

ABS1618

4 6 Plated steel hangwires. 12 Economical. Holds up to 10 lbs. Sold 50/per. 18 Order: HDC4. HDC6.



Double Loop Cable

1/32 uncoated stainless steel with 1/2 long loops. Hold up to 50 lbs. Sold 2/per.

HDL6 6

HDL12 12



3/8 diameter eye. Great looking. Simple & strong. Sold 10/per. ANC03.




Ceiling Twist Loop

7/8 loop, 2 base. Quick connect, just twist. White. Sold 10/per. ANCO6.



Adjustable Cable Assemblies

Wire rope loop one side, straight wire other, plus an adjustable spring loaded cable lock. Choice of locks - Diecast zinc and double barrel steel. Simply feed cable through the lock and adjust to required length. Sold 2/per.



1/16

1/16

12

18

50 lbs.

50 lbs.



Metal Loop

Strong steel spring. Provides 15/64 loop. Sold 10/per. ANC04.



Clear Hinged Hook

One piece hook hinges open & closes around ceiling grid. Sold 10/per. ANC05.




Suction Cups

Clear 2-14 diameter with hanging hook. Sold 100/per. ANC18



Round Magnetic Bases

Plated steel case and hook house powerful magnets.





Adjustable Cable Locks (without cable) Use with bare uncoated wire rope only.

Steel

Steel

ADC13	Diecast	1/32
ADC16	Diecast	1/16
ABS16	Steel	1/16






Diecast Lock

Steel Lock



Mounts, Cable, Harnesses & Tapes

Snap-on Graphic Clips (2/set) Holds rigid media up to 3/32 thick.



HT1 Fits 1 diam. uprights Fits 3/4 diam. uprights Fits 1-1/2 diam. & SignPost

French Cleat FNCH1

Set of 2 interlocking French Cleats. 4 screws & wall anchors included. Anchor 1 piece to wall other to object.

> FNCH1 2 FNCH2 4

FNCH3 12 **FNCH4** 22

FNCH2

Grid Ceiling Divider



GRCD1 for positioning anchors & signage in the best possible location. 24" long, white, compatible for most grid ceilings.

Ceiling Tracks



White aluminum bars with mounting holes. Mounting hardware not included. CTK48 48, 3 holes, CTK96 96, 5 holes.

Wire Management Clips

Holds 6mm & 10mm cables. (set of 4).

CRWO for 1 to 1-1/2 tubes

CRWM for SignPost & Creo



Harness Sets

Harness Sets should be professionally installed.

HRNS3 3 small shackles, 3 double loop lead wires (specify length), collection shackle, 20 pendant wire, 2 wire rope clips.

HRNS4 4 small shackles, 4 double loop lead wires (specify length), collection shackle, 20 pendant wire, 2 wire rope clips.

HRNS5 5 small shackles, 5 double loop lead wires (specify length). collection shackle, 20 pendant wire, 2 wire rope clips.









Forged eyebolts, shackles, quick links, aircraft cable.

Fully test every installation as conditions vary, and neither the manufacturer nor the sales representative may be held liable for injury or loss or damage resulting from the use of these products.



Uncoated HWB32100

DWSC132 Oval crimp sleeves. For 1/32 50/per.

DWSC116 Oval crimp sleeves. For 1/16 50/per.

Wire Rope Aircraft quality galvanized.

Mo	del	Gauge	Style	Rated
HW	B32100	1/32	Bare Uncoated	14 lb.
HW	B16100	1/16	Bare Uncoated	50 lb.

CTWBC Crimping tool.

-6 mm diameter 10 mm diameter

Flexible Magnet



Flexible magnet 1 wide 3/32 thick high tack adhesive. 100 roll. MGT2.

Magnetic Receptive Tape



OGMRS - Magnetic receptive tape .025 x 1 100 feet with pressure sensitive adhesive.

Two-sided Removable Tape



Roll of white foam tape with removable adhesive on 2 sides. 1/32 thick, 1 wide, 30 long. **GXTP1**

Removable Foam Strips



White, each strip is 1/2 x 2 long and each has a load capacity of 3 lbs. Pull tab sideways to remove. Packed 36. RFT1

71